



+91 8010 930 930 | in@euronics.co.in | www.euronics.co.in

EUROnICS INDUSTRIES PRIVATE LIMITED

CORPORATE OFFICE

564-567, Udyog Vihar, Phase V, Sector 19,
Gurugram-122016

MUMBAI

809-810, Crescent Business Park, Samitha
Complex, Sakinaka, Mumbai - 400072

HYDERABAD

1006/A, 10th Floor, T19 Towers, Karbala
Maidan, Rani Gunj, Hyderabad - 500003

SURAT

Velocity Business Hub, 12th Floor Near
Madhuvan Circle, LP Savani Rd, Adajan, Surat,
Gujarat 395009

KOLKATA

Office No. 419B, PS QUBE, Street Number 11,
Newtown, Kolkata, West Bengal - 700156

INDORE

Office No. 204, 2nd Floor, Apollo Premier,
Vijay Nagar, Indore - 452010, Madhya Pradesh

VISAKHAPATANAM

Kailashtowers, MVP Colony, Sector 1,
Near Amma Hospital, Visakhapatnam-530017

NAGPUR

MBW, Maxx Pride, Manish Nagar, Beltarodi
Road, Nagpur - 441108

HUBLI

Prashanth Colony, Shirur Park, Vidya Nagar,
Hubli, Karnataka - 580031

TRIVANDRUM

Dotspace Business Center, TC 24/3088
2nd Floor, Kowdiar Trivandrum - 695003

JAIPUR

9/132, Hari Marg, Chitrakoot Scheme,
Vaishali Nagar, Jaipur-302021

RAJKOT

15, 17, Street Number 14, behind Poojara
Telecom, Sardarnagar, Rajkot, Gujarat 360001

BANGALORE

401, H.M. Geneva House 14, Cunningham Road,
Bangalore - 560052

PUNE

7060, 7th Floor Marvel Feugo, Magarpatta
Road, Hadapsar, Pune, Maharashtra - 411028

AHMEDABAD

B/715-716, Sun Westbank, Ashram Road,
Navrangpura, Ahmedabad-380009

CHENNAI

9/5, Subham Building, First Floor, College
Road, Nungambakkam, Chennai - 600034

KOCHI

Hilite Platino Room 204, 2nd Floor,
Kannadikkadu, Maradu, Kochi-682304

CHANDIGARH

Space Jam, SCO 50-51, 3rd Floor,
Sector-34 A, Chandigarh - 160034

LUCKNOW

NeoHub, 212, 2nd Floor, Levana Cyber Heights,
Vibhuti Khand, Lucknow - 226010

GOA

J N Chambers, Dr. P. Shirgaonkar Road, Panjim,
Goa - 403001

COIMBATORE

No. 11/4, Pooja Garden, Civil Aerodrome Post,
Kalapatti, Coimbatore - 641014

GUWAHATI

183, Shreeji Tower, 3rd Floor, Christian Basti,
Guwahati-781005

BHOPAL

Plot No 74, Opp. Dominos, Zone-II, Maharana
Pratap Nagar, Bhopal, Madhya Pradesh 462011

KANPUR

9/46A TSP Tower, Benajhabar Road, Harsh
Nagar, Kanpur- 208012

GLOBAL PRESENCE

US | SPAIN | SINGAPORE | MALAYSIA

* EURONICS is a registered trademark





OUR WORLD.

OVER THE TIME,
WE'VE SEEN PLENTY OF
CHANGE.
WHAT HASN'T CHANGED,
IS OUR COMMITMENT TO EXCEL
AT WORK UNENCUMBERED BY
TRADITION, INSPIRED BY
TOMORROW AND OF A QUALITY
THAT'S WORLD-CLASS.



ICONS

SUGGESTIVE SITE APPLICATIONS

- CORPORATE
- RETAIL
- HOTEL
- RESTAURANT
- INSTITUTION
- INDUSTRY
- HEALTHCARE
- WELLNESS
- AIRPORT
- METRO

INDICATIVE FEATURES

- HOT & COLD
- AIR FLOW
- TEMPERATURE CONTROL
- VANDAL PROOF
- COUNTER
- TOUCH START
- TOUCH FREE
- GERM FREE
- SENSOR

INDEX

WHO WE ARE



05

OUR CLIENTS



09

ENTRANCE MATTING SOLUTIONS



29

SHOE COVER DISPENSERS



45

WHAT WE DO



06

SUPER SLIM AIR CURTAIN



11

QUEUE MANAGERS



39

SHOE SHINING MACHINES



47

WHAT WE OFFER



07

PVC STRIPS CURTAINS



25

SOLE CLEANING MACHINE



43

WORKPLACE SANITIZING MACHINE



49



26+
Pan India Offices

4+
International Offices

400+
Team Members

5,00,000+
Satisfied Customers

CATERING TO THE BEST GLOBAL CORPORATIONS, AIRPORTS, INSTITUTIONS, INDUSTRIES, HOSPITALITY, RETAIL & COMMERCIAL ESTABLISHMENTS, EURONICS TODAY, HAS CARVED ITSELF A NICHE IN THE INDUSTRY.

WHO WE ARE

Large or small, Industry or corporate, EURONICS entree has solutions for all your ENTRANCE MANAGEMENT needs, with great style, necessity and taste.

Euronics has a pioneering legacy in offering nation wide, state-of-the-art installation equipment's and product solutions that are necessary to support your entrance access areas & washroom facilities to be hygienic, dust free, neat & clean at the most cost-efficient prices.

Dedicated to offer products and solutions that empowers people in the Industries and organizations to use their multi-user and production utility facilities & spaces in a world class manner in terms of styling, integrity, Dust-free and global environmental initiatives.

Our product range spans from Washroom Automation to Entrance Management Solutions, committed to attain, maintain and enhance the overall workability in terms of Dust-Free, Hygiene, Convenience and Integrity - coordinated to the space, people, Industry and the organization.

WE HAVE DELIVERED MORE THAN ONE MILLION FITTING UNITS

WE ARE PROUD,
WE ARE STILL CONTINUING...



WHAT WE DO

Euronics line of utility products and solutions, boast of it's advanced technology that are designed to deliver cost effectiveness, durability, styling and compliance options across varied price-points.

- # PROVIDE DUST AND GERM FREE ENVIRONMENT
- # HYGIENE ENVIRONMENT
- # WE CARE YOUR PREMISES
- # REDUCE RECURRING MAINTENANCE
- # INTERNATIONAL HI-DESIGN QUOTIENT PRODUCTS
- # PROVIDE LONG-TERM VALUE PRODUCTS
- # PROVIDE ADVANCED TECHNOLOGY SOLUTIONS

EURONICS OVER A PERIOD OF TIME, HAS DISTINCTIVE COLLABORATIONS WITH INTERNATIONAL TECHNOLOGY AND MANUFACTURING GIANTS. CONSTANT R&D TO EVOLVE, DEVELOP & ROLLOUT UNIQUE SET OF PRODUCTS THAT BRING FORTH THE BEST IN CLASS OFFERINGS TO IT'S CUSTOMERS.

Right from the initial products to the new entries: there are 150+ products, put together across our catalogues which are divided into 3 verticals for convenience of selection & requirements.

WHAT WE OFFER

EURONICS INSPIRE



HAND DRYERS
WASHROOM PANELS
URINAL SENSORS
SENSOR TAPS
CONCEALED CISTERN (WC)
PAPER & SOAP DISPENSERS
GRAB BAR & ACCESSORIES
BABY DIAPER CHANGING STATIONS
HEALTH FAUCET

EURONICS ENTREE



AIR CURTAINS
PVC STRIP CURTAINS
ENTRANCE MATTING SOLUTIONS
Q MANAGERS
SHOE COVER DISPENSERS
SOLE CLEANING MACHINE
SHOE SHINING MACHINES

COVID ACCESSORIES



AUTO HAND SANITIZER DISPENSERS
HAND SANITIZER PANEL
AUTOMATIC TOILET SEAT COVER
SENSOR OPERATED BIDET
WORKPLACE SANITIZING MACHINE


WE MAKE IT EASY TO SPECIFY THESE PRODUCTS THROUGH A SEASONED CUSTOMER SERVICE STAFF AND THE BEST INFORMATIONAL TOOLS IN THE INDUSTRY.



CINEMAS



HOTELS



CORPORATES



OFFICES



HOSPITALS



BANKS



RESTAURANTS



UTILITY SERVICE ORGANIZATION




OUR CLIENTS
OUR PRIDE



WAREHOUSES



FACTORIES



ENTERTAINMENT CENTRES

OUR PRIVILEGED CLIENTS



The Royal Bank of Scotland



Having crossed 10,000+ projects EURONICS has already forayed into the washroom automation products & solutions industry. Today it has become a reputed name amongst architects and consultants; for its advanced technology, functional durability, timely delivery and prompt after sales service to it's customers.



AIR CURTAINS ENGINEERED
TO SUPPORT HEALTHY ENVIRONMENTS
AND REDUCE ENERGY CONSUMPTION

visit www.euronics.co.in for a full range of euronics inspire products

SUPER SLIM AIR CURTAINS

At EURONICS entree, our centrifugal Air Curtains are with high international quality standards.

The air curtain maintains environmental separation with a light flow of air, that not only results in lowered energy costs but also helps in preventing air borne contaminants & deterring flying insects from moving from one open space to another-enhancing sanitation & hygiene.

Applications


Entrance of Industries, Restaurants, Offices, Malls & other commercial places



Cooling Retention Effects
Prevents cold air to go outside & hot air to come inside



Super Sleek design
Aesthetics that speaks of Slim design & looks apt for any modern environment



Resists ingress of dirt & insects
The even air flow pressure helps in keeping away insects



Velocity Control feature
Gives full access to control the mode of air curtain depending on door height

EAC
AIR CURTAIN
 MS Powder Coated
 Upto 11 Feet



DOOR SENSOR



VELOCITY CONTROL SWITCH



COMMERCIAL USE

KEY FEATURES

Model no.	EAC 3	EAC 4	EAC 5	EAC 6
Max. Air velocity at Nozzle	21 m/s	21 m/s	21 m/s	21 m/s
Power (W)	410 W	560 W	700 W	820 W
RPM (Max/ Min)	2700 / 2100	2700 / 2100	2700 / 2100	2700 / 2100
CFM	825	1100	1380	1490
Body Material	MS Powder Coated	MS Powder Coated	MS Powder Coated	MS Powder Coated
Dimension (mm)	900 x 230 x 212	1200 x 230 x 212	1500 x 230 x 212	1800 x 230 x 212
Noise Level dB	60 - 70 db	60 - 70 db	60 - 70 db	60 - 70 db
No. of Blowers	3	4	5	6
No. of Motors	2	2	3	3
Blower Material	ABS	ABS	ABS	ABS
Phase	Single	Single	Single	Single
Effective Height	Below 11 feet	Below 11 feet	Below 11 feet	Below 11 feet
*Parameters may vary 5 - 10% depending on various conditions.				
Warranty	1 Year	1 Year	1 Year	1 Year

visit www.euronics.co.in
 for a full range of euronics inspire products



EAS

AIR CURTAIN

Stainless Steel
Upto 11 Feet



DOOR SENSOR



VELOCITY CONTROL SWITCH



COMMERCIAL USE

KEY FEATURES

Model no.	EAS 3	EAS 4	EAS 5	EAS 6
Max. Air velocity at Nozzle	21 m/s	21 m/s	21 m/s	21 m/s
Power (W)	410 W	560 W	700 W	820 W
RPM	2700	2700	2700	700
CFM	825	1100	1380	1490
Dimension (mm)	900 x 230 x 212	1200 x 230 x 212	1500 x 230 x 212	1800 x 230 x 212
Noise Level dB	60 - 70 db	60 - 70 db	60 - 70 db	50 - 70 db
No. of Blowers	3	4	5	6
No. of Motors	2	2	3	3
Body Material	Stainless Steel (304 Grade)	Stainless Steel (304 Grade)	Stainless Steel (304 Grade)	Stainless Steel (304 Grade)
Blower Material	ABS	ABS	ABS	ABS
Phase	Single	Single	Single	Single
Door Height	Upto 11 feet	Upto 11 feet	Upto 11 feet	Upto 11 feet
*Parameters may vary 5 - 10% depending on various conditions.				
Warranty	1 Year	1 Year	1 Year	1 Year

visit www.euronics.co.in
for a full range of euronics inspire products



ABE

AIR CURTAIN

ABS Body with Inbuilt Sensor & Remote
Upto 11 Feet



REMOTE CONTROL



COMMERCIAL
USE

KEY FEATURES

Model no.	ABE 3	ABE 4	ABE 5
Max. Air velocity at Nozzle	21 m/s	21 m/s	21 m/s
Power (W)	410 W	560 W	700 W
RPM	2700	2700	2700
CFM	825	1100	1380
Body Material	Plastic	Plastic	Plastic
Dimension (mm)	900 x 230 x 220	1200 x 230 x 220	1500 x 230 x 220
Noise Level dB	47 - 52 db	49 - 54 db	50 - 55 db
No. of Blowers	3	4	5
No. of Motors	2	2	3
Voltage	220V/50Hz	220V/50Hz	220V/50Hz
Blower Material	ABS	ABS	ABS
Phase	Single	Single	Single
Door Height	Upto 11 Feet	Upto 11 Feet	Upto 11 Feet

*Parameters may vary 5 - 10% depending on various conditions.

Warranty	1 Year	1 Year	1 Year
----------	--------	--------	--------

visit www.euronics.co.in
for a full range of euronics inspire products



RAC
RECESSED AIR CURTAIN
 MS Powder Coated
 Upto 11 Feet



COMMERCIAL
 USE

KEY FEATURES

Model No.	RAC3	RAC4	RAC5
Body Material	MS Powder Coated	MS Powder Coated	MS Powder Coated
Dimension (mm)	920 x 290 x 232.8	1220 x 290 x 232.8	1520 x 290 x 232.8
Input Power (W)	220V50HZ	220V50HZ	220V50HZ
Noise Level dB	≤50	≤51	≤53
Air Velocity(m/s)	22.0	22.0	22.0
Air Volume (m ³ /s)/CFM	1550/912	2060/1211	2580/1518
Voltage/Frequency(W)	415(H) x 310(L)	580(H) x 430(L)	705(H) x 534(L)
Door Height	Upto 11 Feet	Upto 11 Feet	Upto 11 Feet
*Parameters may vary 5 - 10% depending on various conditions.			
Warranty	1 Year	1 Year	1 Year

visit www.euronics.co.in
 for a full range of euronics inspire products



EIA
INDUSTRIAL AIR CURTAIN
 MS Powder Coated
 Upto 22 Feet




INDUSTRIAL USE

KEY FEATURES

Model no.	EIA3	EIA4	EIA5
RPM (Max/ Min)	2700	2700	2700
CFM	2200	2950	3680
Phase	Three	Three	Three
Voltage	440v/50hz	440v/50hz	440v/50hz
Power (Wattage)	1100 W	1650 W	2200 W
Motor HP	1.5	2.24	2.99
Dimension (mm)	914 x 345 x 351	1218 x 345 x 351	1523 x 345 x 351
Weight	44 Kgs	50.5 Kgs	62 Kgs
Max. Air velocity at Nozzle	24 m/s	24 m/s	24 m/s
Body Material	MS Powder Coated	MS Powder Coated	MS Powder Coated
Effective Height	Upto 22 feet	Upto 22 feet	Upto 22 feet
Blower material	M.Steel	M.Steel	M.Steel
Noise Level dB	<65 db	<66 db	<68 db
No. of Blowers	2	3	4
No. of Motors	1	2	2
*Parameters may vary 5 - 10% depending on various conditions.			
Warranty	1 Year	1 Year	1 Year

visit www.euronics.co.in
 for a full range of euronics inspire products



EIS

INDUSTRIAL AIR CURTAIN

Stainless Steel
Upto 22 Feet



INDUSTRIAL USE

KEY FEATURES

Model no.	EIS3	EIS4	EIS5
RPM (Max/ Min)	2700	2700	2700
CFM	2200	2950	3680
Phase	Three	Three	Three
Voltage	440v/50hz	440v/50hz	440v/50hz
Power (Wattage)	1100 W	1650 W	2200 W
Motor HP	1.5	2.24	2.99
Dimension (mm)	914 x 345 x 351	1218 x 345 x 351	1523 x 345 x 351
Weight	44 Kgs	50.5 Kgs	62 Kgs
Max. Air velocity at Nozzle	24 m/s	24 m/s	24 m/s
Body Material	Stainless Steel - (304 Grade)	Stainless Steel - (304 Grade)	Stainless Steel - (304 Grade)
Effective Height	Upto 22 feet	Upto 22 feet	Upto 22 feet
Blower material	M.Steel	M.Steel	M.Steel
Noise Level dB	<65 db	<66 db	<68 db
No. of Blowers	2	3	4
No. of Motors	1	2	2
*Parameters may vary 5 - 10% depending on various conditions.			
Warranty	1 Year	1 Year	1 Year

visit www.euronics.co.in
for a full range of euronics inspire products





U.V. STABILIZED, TRANSPARENT &
FLEXIBLE PVC STRIPS THAT LAST LONG

ENTRANCE PVC STRIP CURTAINS

EURONICS entrée offers French quality PVC Strip Curtains that are made from specially developed DINP / NON-PHTHALATE PVC material.

It is the most cost effective and a simple way to control temperature, humidity & prevent the ingress of dust and insects.

With full/partial overlaps, they create partitions, suitable to divide rooms/ sheds. Ideal for maintaining ambient temperatures for spaces, keeping out unwanted pests, restricting the movement of air pollutants or isolating noisy machinery.

APPLICATIONS : Industries, Factories, Manufacturing Plants, Cold Storage, Agricultural Plant, Warehouses, Food Processing Zones



Cooling Retention Effects
Prevents cold air to go outside & hot air to come inside



NON-PHTHALATE Eco Friendly Material
PVC Material used is very Environment-friendly and safe for human skins



Resists ingress of dirt & insects
Blocks dusts and insects to enter the hygienic premises



Hygienic Environment
Keeps your environment cleaner and germ free


CLEAR TRANSPARENT BLUE

Ideal for Dust Control



Ideal for pedestrian & small machinery usage, this medium weight strip will help with temperature control or dust exclusion between different areas of a warehouse or works site without impeding access.

Suitable for the door is the main entry gate of the premises, means exposed to air.



	Width	Thickness	Recommended Door Height	Temperature
EPC1 CB22	200 mm	+/- 2 mm	upto 7 feet	-15°C & + 50°C
EPC1 CB23	200 mm	+/- 3 mm	7 feet - 10 feet	-15°C & + 50°C
EPC1 CB33	300 mm	+/- 3 mm	above 10 feet	-15°C & + 50°C

DOUBLE RIBBED TRANSPARENT BLUE

Ideal for Forklift Traffic



This heavy weight strip will help with temperature control or dust exclusion between different areas of a warehouse or works site without impeding access. Double Ribbed for extra insulation and prevents damage to the PVC. Suitable for the door where there is frequent movement of Machines / Trolleys



	Width	Thickness	Recommended Door Height	Temperature
EPC1 DR33	300 mm	+/- 3 mm	12 feet - 20 feet	-15°C & + 50°C

FREEZER/ POLAR TRANSPARENT

Ideal for Cold Storage



High quality polargrade PVC of low temperature for use in freezers.

Remains flexible and resists cracking down to -32°C, allowing easy access of people, vehicles and goods and effectively preventing loss of cold air.

Suitable for Cold Storage Area (-30 c)



	Width	Thickness	Recommended Door Height	Temperature
EPC1 FP22	200 mm	+/- 2 mm	upto 10 feet	-25°C & + 30°C


ANTI-INSECT YELLOW / AMBER

Ideal for Insect & Bird control



Ideal solution for anywhere where insects/birds aren't welcome. This medium weight strip prevents the entry of insects, birds and other infestations entering into the premises. Insect proof PVC strip curtain made with a specially formulated repellent material that wards off insects.

Suitable for food preparation industries



	Width	Thickness	Recommended Door Height	Temperature
EPC1 AI23	200 mm	+/- 3 mm	upto 12 feet	-15°C & + 50°C



EXCELLENT & DURABLE
MATTING SOLUTIONS THAT KEEP
SPACES CLEAN & DRY.

ENTRANCE MATTING SOLUTIONS

At EURONICS entree, we offer a wide range of Innovative entrance Matting Products & solutions, that protect floors and carpets in your premises from dirt and debris.

Products from the Matting Solutions portfolio offer a combination of safety, quality and durability with a truly vast range of colors, shapes and sizes that are suitable for any décor and level of traffic.

Euronics Matting Products are not only cost effective but also find use in diverse locations like Hotels, Corporate Offices, Industrial Establishments, Shopping Malls and Hospitals.



X- Lerator Technology

Specialized for outside area- resists dirt & keeps your environment cleaner



Trapper Technology

Specialized for outside/ Foyer area- resists dirt & keeps your environment cleaner



Absorption Technology

Specialized to keep you Inside/ Foyer area cleaner



Hygienic Environment


Resists dirt & keeps your environment cleaner and germ free

ALUMINIUM DUST BUSTER MATTING

WHIPPING & SCRAPPING-MOISTURE & DIRT
Recessed / Surface



Recessed Aluminium Matting adds to your 'Business' overall appearance, cleanliness, customer satisfaction and safety. Our Dust - Buster Recessed Aluminium Matting is ideally suited for traffic areas and also keeps floors clean & dry by providing exceptional wiping/scraping action. These aluminium profiles are Antirust and can be concealed inside the flooring, which gives an excellent look to the entrance area. Montreo Carpet inside the for surface mounting special designed edging is required.



Position of Matting	Inside/Foyer Area
Material	Aluminium Profile with Carpet
Area	High Traffic
Colours	Brown, Grey, Red
Profile Height	14.5 mm +/- 0.25
Total Height	19.5 mm +/- 0.25
Recess Required	15 mm +/- 0.25
Pedestrian Traffic	Upto 10 Lakh (Annually)
Trolley Crossings	Heavy Trolley
Maintenance	Easy to clean
Application	Recessed / Surface

visit www.euronics.co.in for a full range of euronics inspire products


ENIGMA MODULAR MATTING

INTERLOCKING TILES
Surface



ENIGMA MODULAR interlocking tiles is a new generation matting system is designed for extra heavy duty traffic combining attractiveness with performance - dual action of scrapping and absorbing for effective elimination of dirt, dust and moisture. Montreo Carpet inside the tile prevents fine dust particles and moisture from entering inside the door. Each tile is 300 x 300 mm square and 18mm depth. The large open scraper profiles incorporate 'heel steps' to prevent heel trapping.

Application: Main porch area of 5 Start Hotels / Office / Malls.



Position of Matting	Main Porch Entrance Area
Material	EVA frame with Carpet
Area	High Traffic
Colours	4025G, Grey
Tile Height	18 mm
Tile Size	300 mm x 300 mm
Connection	Interlocking
Pedestrian Traffic	Upto 10 Lakh (Annually)
Trolley Crossings	Heavy Trolley
Maintenance	Easy to clean
Application	Surface/Recessed



MONTERO CARPET MATTING

ABSORBS MOISTURE & DIRT

Surface

Montreo Carpet Matting: Absorbs Moisture & Dirt. It is carpet-type entrance matting. Provides excellent dirt and water removal. Holds dirt and moisture off the floor. Durable and stain resistant. Vinyl backing won't stain the floor and helps prevent dirt and moisture from penetrating through the mat to the floor.



	Montreo 3015	Montreo 3012	Montreo 3006
Position of Matting	Inside / Foyer	Inside / Foyer	Inside / Foyer
Material	Nylon with Fibre	Nylon/ Polyprop	Nylon/ Polyprop with fiber
Area	High Traffic	Medium Traffic	Low Traffic
Available Colours	Grey	Grey, Brown, Red	Grey, Brown
Shape	Carpet	Carpet	Ribbed Carpet
Backing	Hard Rubber	Hard Rubber	Rubber
Tear	Not Possible	Not Possible	Not Possible
Pedestrian Traffic	10 Lakh (Annually)	8 lakhs (Annually)	2 lakh (Annually)
Trolley Crossing	Heavy Trolley	Heavy Trolley	Light Trolley
Width	4 & 5 Feet	4 & 5 Feet	4 feet
Maintenance	Easy to Clean	Easy to Clean	Easy to Clean






TRAPPER LOOP MATTING

TRAPS, HOLD & HIDES DIRT

Recessed / Surface

Trapper matting is a vinyl looped construction - An ideal mat for front entrances/exit areas with moderate traffic areas at office or commercial establishments. The unique 'loop' pattern gives it excellent properties for the retention of dirt, dust, debris and fluids from dirty feet and footwear and also allows for easy cleaning when soiled. It is mat dyed and is available in solid grey & dark red colours that either stands neutral or gives a red carpet ambience of your entrance.

	Trapper 1018	Trapper 1016	Trapper 1013
Position of Matting	Outdoors or Recessed Area	Outdoor or Recessed Area	Outdoor or Recessed Area
Material	PVC Vinyl	PVC Vinyl	PVC Vinyl
Area	High Traffic	Medium Traffic	Low Traffic
Available Colours	Grey , Red	Grey, Red	Grey, Red
Shape	Loop	Loop	Loop
Backing	Hard	Hard	Soft
Tear	Difficult	Difficult	Easy
Pedestrian Traffic	4 Lakhs Annually	4 lakhs Annually	1 lakh Annually
Trolley Crossing	Light Trolley	Light Trolley	Trolley Not Advisable
Width	4 Feet	4 feet	4 feet
Maintenance	Easy to Clean	Easy to Clean	Easy to Clean






X-LERATOR ZIGZAG MATTING

REMOVES DIRT & DEBRIS

Recessed / Surface

X-Lerator Matting: X Web with sharp edges designed to remove heavy amount of dirt Is a vinyl X web unbacked construction - An ideal mat for front entrances/exit areas and excellent for foyers and recessed wells. The unique X-web pattern, with unbacked construction scrapes, traps and hides dirt and debris from shoes, minimizing re-tracking into the building. Peaked edge design provides enhanced slip-resistance

	X-Lerator 2011	X-Lerator 2085	X-Lerator 2050
Position of Matting	Outdoors or Wet Area	Outdoor or Wet Area	Outdoor or Wet Area
Material	PVC Vinyl	PVC Vinyl	PVC Vinyl
Area	High Traffic	Medium Traffic	Low Traffic
Available Colours	Grey, Red	Grey, Red	Grey, Red
Shape	X-Web	X - Web	X - Web
Backing	Unbacked	Unbacked	Unbacked
Tear	Impossible	Difficult	Easy
Pedestrian Traffic	8 Lakhs Annually	4 lakhs Annually	1 lakh Annually
Trolley Crossing	Heavy Trolley	Light Trolley	Trolley Not Advisable
Width	4 Feet	4 feet	4 feet
Maintenance	Easy to Clean	Easy to Clean	Easy to Clean



QUEUE MANAGERS

Smart products from EURONICS entree, presents Queue Manager systems used for many different purposes including crowd control & waiting lines, that gives a fast and easy, professional look with a dash of utility & performance.

Applications: Bank, Airport, Railways, Malls, Cinemas





PERFECT BLEND OF UTILITY
& PERFORMANCE.



visit www.euronics.co.in for a full range of euronics inspire products


CQM1S RETRACTABLE BELT STANCHAIRS

Material	Stainless Steel
Height of Pole	930 mm
Diameter of Base	330 mm
Weight	7.1 kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red



EQM1L RETRACTABLE BELT STANCHIONS Stainless Steel

Height of Pole	1130 mm
Diameter of Base	350 mm
Weight	9.1 kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red




EQM3 WALL MOUNTING Q MANAGER Stainless Steel

Belt length	2 Meters
Rope Colour	Blue/Black/Red




SQM5
STACKABLE
QUEUE MANAGER

Height of Pole	1130 mm
Diameter of Base	350 mm
Weight	9.5kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red




EQM2P
CLASSIC POST WITH ROPE BARRIER
Stainless Steel

Height of Pole	1000 mm
Diameter of Base	350 mm
Weight	9.5 kgs
Rope Length	1.5 Meters
Rope Colour	Blue/Black/Red





EQM4D
DOUBLE CASSETTES
Stainless Steel

Material	Stainless Steel
Height of Pole	1130 mm
Diameter of Base	350 mm
Weight	9.5 kgs
Belt Length	2 Meters
Belt Color	Blue/Black/Red



EQM3G
GOLD CLASSIC
POST WITH ROPE BARRIER

Height of Pole	1000 mm
Diameter of Base	350 mm
Weight	7.5 kgs
Rope Length	1.5 Meters
Rope Colour	Blue/Black/Red



SHOE COVER DISPENSER

EURONICS entree has been successfully offering durable and high finish Shoe Cover Dispensers, that help protect your floors, prevent contamination and maintains a clean, professional & hygienic environment. Built sturdy, practical, cost-effective

and convenient designed makes it the preferred choice.

Perfect Applications for Sample Flats, Hospitals, Clinics, Hotels, Pharmaceutical Companies, Factories, Kitchen and office premises etc.



STURDY & CONVENIENT USAGE,
MAKES IT THE PREFERRED CHOICE.

visit www.euronics.co.in for a full range of euronics inspire products

ESCD1

SHOE COVER DISPENSING MACHINE
Automatic



Compatible Shoe Cover

Code: C1N, Non - Woven Shoe Covers
Code: C1P, Plastic Shoe Covers

Operation	Fully Automatic
Voltage	220V / 50Hz
Rated Power	20W
Automatic	Shoe Counting Function
Loading Capacity	50 Covers (Non-woven)
Loading Capacity	80 Covers (Plastic)
Dimension	750 x 300 x 630 mm



ESCD2

SHOE COVER DISPENSING MACHINE
Semi-Automatic



Compatible Shoe Cover

Code: C2P, Plastic Shoe Covers

Operation	Manual
Material	Aluminium
Loading Capacity	100 Plastic Covers
Dimension	470 x 260 x 170 mm



SHOE SHINING MACHINES

The elegant shoe shine machine from EURONICS Entree is a high quality care product for your footwear. Crafted from high quality materials and boasting a sleek design, our premium shoe shine machine will give you gleaming shoes in seconds.

With its stylish shape and modest dimension this model is the perfect shoe care item for a hotels or offices



SMART TECHNOLOGY
THAT BRINGS CARE AND
DUST FREE ENVIRONMENT

visit www.euronics.co.in for a full range of euronics inspire products

KSM5 AUTOMATIC SHOE SHINING MACHINE Stainless Steel



Operation	Fully Automatic
Material	Stainless Steel/Satin Finish
Voltage	220V / 50Hz
Rated Power	40 W
RPM	1400
Time Protection	15 sec
Container capacity	200 ML
Dimension	370 x 370 x 445 mm



ESM4 SHOE SHINING MACHINE With Sole Cleaner



Operation	Fully Automatic
Material	Stainless Steel/Wooden
Voltage	220V / 50Hz
Rated Power	40 W
RPM	1400
Time Protection	15 sec
Container capacity	200 ML
Dimension	510 x 320 x 495 mm





EDF-6L WORKPLACE SANITIZING MACHINE

Made In India



KEY FEATURES

Tank Capacity	6 Litre
Effective Range	3-8m
Atomization Volume	650ml/min
Particle Size	10 microns
Rated Voltage	220-240v/50hz
Power	1000w
Suggested Chemical	Silver Hydrogen Peroxide
Cord Length	5 Meter

